


1	<p>Create a Database</p> <ul style="list-style-type: none"> <li>- username:</li> <li>- password:</li> <li>- database name:</li> </ul>	<p>Login to Plesk or, cpanel / directadmin depends on client server</p>
2	<p>Import the database</p> <ul style="list-style-type: none"> <li>- Use the database.sql</li> <li>- Please make sure the database is correct, and choose to have ready content or import a blank one.</li> </ul> <p>To modify the table `js_merchant`</p> <p>Username(<b>strJUser</b>): change to <a href="mailto:admin@xxx.com">admin@xxx.com</a> xxx.com is the new domain name</p> <p>Admin password: admin2012! Hex: gRoioUdxSolXC1gCtYRZ30701X8=</p>	<p>You may login to phpmyadmin. Select a database for FRESH import</p>
3	<p>Upload all the files into FTP server.</p>	<p>You require to have the FTP password, thru WinSCP</p>
4	<p>Change the Database Connection file config on:-</p> <p>/includes/inc.db.php /includes/inc.db.p.php – for some sites only /includes/inc.db.p.php</p> <p>/webmin/_chkip.php /webmin/_storedb.php /webmin/_storedb.p.php – for some sites only</p>	<ul style="list-style-type: none"> <li>- username:</li> <li>- password:</li> <li>- host: localhost, or the server IP</li> <li>- database name</li> </ul>
5	<p>Please view the website from browser. If nto abel to view, please do following:-</p> <p>Change the file permission to 777 for httpdocs/tpl/default httpdocs/tpl/default/compiled</p>	<p>The template folder may in different name, depends on the template files</p>
6	<p>Folder Permission</p> <p>following folder require to enable for certain modules</p> <p>/banner /banner/rotator /file – and all the sub-dolder, if any</p>	
7	<p>Test on the Web Page Editor</p> <ul style="list-style-type: none"> <li>- To upload image</li> </ul> <p>if cannot, please do the changes to this file, do make sure the folder is correct parth</p> <p>/webmin/js_mcd/editor/filemanager/connectors/php/config.php</p>	
	<pre>\$Config['UserFilesAbsolutePath'] = \$_SERVER["DOCUMENT_ROOT"].'/'.\$_SESSION["newPath"].'/' ;</pre> <p>or</p> <pre>\$Config['UserFilesAbsolutePath'] = "/home/simple.my/domains/doeka.simple.my/public_html/".\$_SESSION["newPath"];</pre>	
8	<p>Others</p> <ul style="list-style-type: none"> <li>- Test on Enquiry Form</li> <li>- Mod_rewrite / SEO Friendly URL</li> </ul>	
8	<p>Others</p> <ul style="list-style-type: none"> <li>- Test on Enquiry Form</li> <li>- Mod_rewrite / SEO Friendly URL</li> </ul>	

